

INDEX TO VOLUME 54

A

- Acanthis*, 54
 linaria, 245
Accentor, Alpine, 109
 Mountain, 109
Accipiter bicolor, 349
 cooperii, 89, 349
 erythronemius chionogaster, 283
 gentilis, 89
 nisus nisosimilis, 103
 soloensis, 103
 striatus, 283-289, 349
 striatus chionogaster, 283-289
 striatus erythronemius, 283-289
 striatus fringilloides, 283-289
 striatus madrensis, 285-289
 striatus perobscurus, 283-289
 striatus salvini, 283-289
 striatus striatus, 283-289
 striatus suttoni, 283-289
 striatus velox, 283-289
 striatus venator, 283-289
 striatus ventralis, 283-289
Actitis hypoleucos, 104
 macularia, 164, 350
Aegithalos caudatus, 107
Aëronautas saxatilis, 351
Agelaius phoeniceus, 29, 128, 151, 149
 tricolor, 189
Aimophila rufescens, 354
 ruficeps, 354
Aix sponsa, 204, 348-349
Ajaja ajaja, 208
Alauda arvensis, 106
Alcedo atthis, 105
Alcorn, J. R., and *Marshall, David B.*, additional
 Nevada bird records, 320
Alectoris graeca, 321
Aletornis nobilis, 175
 venustus, 175
Amadon, Dean, and *Phillips, Allan R.*, some birds
 of northwestern Sonora, Mexico, 163
Amazilia candida, 351
 cyanoccephala, 351
 yucatanensis, 351
Amazona autumnalis, 350
 finschi, 118
 ochrocephala, 350
 viridigenalis, 350
Amblycercus holosericeus, 353
Ammodramus bairdii, 167
Amphispiza bilineata, 167
Anas, 68
 acuta, 319, 349
 carolinensis, 52, 298
 clypeata, 68
 crecca, 349
 cyanoptera, 68, 320, 349
 discors, 67-68, 349
 platalea, 68
 platyrhynchos, 103, 298, 349, 358
 querquedula, 68
 rhynchotis, 68
 rubripes, 65
 smithi, 68
 sponsa, 65-66
 strepera, 349
Anderson, Morris P., and *Dollahite, Ned*, a new
 nesting record of the cinnamon teal in
 Humboldt County, California, 320
Anhinga anhinga, 349
Anser fabalis, 103
Anthracothorax prevostii, 351
Anthropoides, 205
Anthus spinoletta, 54, 61, 109, 166
 spragueii, 61, 166
Antsbrike, Mexican, 348
Aphelocoma coerulescens, 90, 128, 160-162, 208
 coerulescens texana, 208
 ultramarina, 90, 352
Aquila chrysaëtes, 318, 319, 364
 depredator, 175
Aquilavus, 175
Apus pacificus, 105
Aracaris, Collared, 139
Ara militaris, 113, 350
Aratinga astec, 350
 holochlora, 350
Arborophila, 299
Archaeophasianus, 175
Archaeopsittacus, 175
Archaeornis, 84-87
Archilochus colubris, 351
Ardea, 80-81
 amissa, 175
 cinerea, 102
 herodias, 318, 349
Arenaria interpres, 53
Arny, Samuel A., taxonomic status of the bank
 swallow of North America, 356
Arremonops rufivirgatus, 354
Asio flammeus, 54, 317, 358
 otus otus, 105
Astrapia mayeri, 334
 stephaniae, 334
Asyndesmus lewis, 164, 244
Atlapetes albinucha, 354
 brunnei-nucha, 354
 pileatus, 354
 pileatus dilutus, 312
 pileatus pileatus, 312
Attebery, Howard R., willet eats jack smelt eggs,
 321
Auklet, Paroquet, 52-53
Aulacorhynchus prasinus, 351
Auriparus flaviceps, 358
Australocorax, 175

Automolus leucophthalmus, 95
ochrolaemus excertus, 93-100
ochrolaemus pallidularis, 95
Automolus, Chestnut-tailed, 93-100
 White-eyed, 95
Avocet, 316
Aythya americana, 317, 349
 marila, 52, 103, 204
 valisineria, 321

B

Bailey, Robert E., the incubation patch of passerine birds, 121
Balanosphyra formicivora, 245, 315
Baldpate, 298
Balearica, 205
Bartholomew, George A., Jr., and Dawson, William R., body temperature in nestling western gulls, 58
Bartholomew, George A., Jr., and Howell, Thomas R., experiments on the mating behavior of the Brewer blackbird, 140
Basileuterus belli, 353
 culicivorus, 94, 353
 rufifrons, 353
Becard, Rose-throated, 348
Beidleman, R. G., current status of the starling in north-central Colorado, 173; confused enemy recognition, 318
Bee-eater, 197
Bishop-bird, 28, 40
Bittern, American, 317
 Least, 113, 317
Blackbird, 89
 Brewer, 3-47, 128, 140-151
 Red-winged, 29, 33-35, 37, 39, 126, 128, 149, 339, 341
 Rusty, 172
 Tri-colored, 189
 Yellow-headed, 14, 28, 33-39, 318
Bobolink, 34, 39
Bobwhite, Masked, 48-50
Bombycilla cedrorum, 166, 245, 353
Bonasa umbellus, 359
 umbellus affinis, 359
 umbellus phaia, 172, 359
 umbellus umbelloides, 172, 359
 umbellus yukonensis, 359
Borell, A. E., wood ibis in New Mexico, 115
Botaurus lentiginosus, 317
 Brambling, 110
Brant, Black, 319
Branta nigricans, 319
Brauner, Joseph, reactions of poor-wills to light and temperature, 152
Brodkorb, Pierce, the types of Lambrecht's fossil bird genera, 174
Brooks, Allan, painting of gyrfalcon, opposite 237
Bryant, Harold C., additions to the check-list of birds of Grand Canyon National Park, Arizona, 320
Bubo, 92, 350
 virginianus, 89-91
Bubulcus ibis, 103
Bucephala clangula, 103
Bulbul, Brown-eared, 101, 107
Bunting, Chestnut, 110
 Corn, 30, 40
 Indigo, 63
 Lazuli, 63, 167
 Meadow, 107, 110
 Rustic, 110
 Snow, 54, 62
 Tristram, 110
 Yellow-throated, 101, 110
Bush-tit, 128
Bustard, Great, 104
Buteo, 298
 albonotatus, 90, 113, 349
 buteo, 104
 buteo burmanicus, 104
 jamaicensis, 283, 349
 lagopus, 52, 65
 lineatus, 89
 magnirostris, 349
 nitidus, 349
 rufinus, 104
 swainsoni, 113, 358
Buteogallus anthracinus, 349
Butorides striatus, 102
 virescens, 164, 349
 virescens anthonyi, 164
Buzzard, Eurasian, 104
 Upland, 104

C

Cade, Tom, notes on the birds of Sledge Island, Bering Sea, Alaska, 51; a hawk owl bathing with snow, 360; the influence of food abundance on the over-wintering of pine grosbeaks at College, Alaska, 363
Cairina moschata, 113
Calcarius lapponicus, 54
Callipepla, 299
 squamata squamata, 310
Calocitta formosa, 90
Calothorax lucifer, 351
Calypste anna, 164
 costae, 164
Camptostoma imberbe, 165
Campylopterus curvipennis, 351
Canvasback, 321
Capella, 105
 gallinago, 350
Caprimulgus maculicaudus, 113
 vociferus, 350
Caracara, 164, 310
Caracara cheriway, 349
Cardinal, 167
Carduelis spinus, 110
Carpodacus, 61
 mexicanus, 29, 128-131, 173, 312, 354-355

- mexicanus coccineus, 312
 mexicanus centralis, 312
 mexicanus frontalis, 61
 mexicanus potosinus, 312
 purpureus, 128, 320
Casarca ferruginea, 103
Casmerodius albus, 103, 317, 349
Cassidix mexicanus, 33, 353
 Castlebuilder, Rufous-breasted, 93
 Catbird, 204
Catharacta skua, 175
Cathartes aura, 164, 349
Catharus aurantiirostris, 204, 352
 mexicanus, 352
 occidentalis, 352
 occidentalis olivascens, 311
Catherpes mexicanus, 352
Catoptrophorus semipalmatus inornatus, 321
Centurus aurifrons, 351
Cephus columba, 52-53
Chaetura pelagica, 185
 vauxi, 62
Chamaea fasciata, 117, 128
Chamaethlypis poliocephala, 353
 Chat, 311
 Palm, 197
 Yellow-breasted, 67, 167
Charadrius alexandrinus, 174, 321
 vociferus, 207, 350
Chen caerulescens, 320
 rossii, 320
Chickadee, Black-capped, 174
 Chestnut-backed, 115
 Mountain, 128, 256
 Childs, Henry E., Jr., hybrid between a shoveller and a blue-winged teal, 67
 Childs, Henry E., Jr., and Mossman, Archie S., notes on the sexual behavior of two falcons, 207
Chlidonias nigra, 164
Chloris sinica ussuriensis, 109
Chloroceryle aenea, 351
 amazona, 351
 americana, 164, 351
Chlorospingus ophthalmicus, 354
Chlorospingus, Brown-headed, 348
Chlorostilbon canivetii, 351
Chlorura chlorura, 128
Chordeiles minor, 113
 minor henryi, 310
Ciccaba virgata, 350
Circus cyaneus, 61, 349
Cissilophia beecheyi, 90
Clangula hyemalis, 52, 319, 321
Clidastes, 73-88
Coccyphloeus pileatus, 246
 Cogswell, Howard L., *Tyrannus melancholicus* in Marin County, California, 117
Colaptes auratus, 243, 245
 cafer, 91, 245, 341, 351
 chrysoides, 91
 coletus, 55-57
Colinus, 299
 virginianus, 350
 virginianus ridgwayi, 48-50
Colonosaurus mudgei, 74
Columba calcaria, 175
 fasciata, 164
 flaviostris, 350
 livia rupestris, 105
 speciosa, 113
Columbigallina passerina, 350
 talpacoti, 350
Colymbus, 121
 auritus, 66-67, 314-315
 auritus auritus, 315
 auritus cornutus, 315
 caspicus, 315
 cornutus, 315
 dominicus, 349
 griseogena, 314
 Combella, C. R. B., the nesting span in the southern Willamette Valley, Oregon, 64
 Congdon, Russell T., nesting of the Hudsonian godwit at Churchill, Manitoba, 290
Contopus pertinax, 352
 virens, 352
 Coot, European, 121
Coragyps, 349
 atratus, 359
Cormorant, Double-crested, 163
 Pelagic, 52
Corvus brachyrhynchos, 318
 corax, 54, 165, 352
 corone orientalis, 106
 cryptoleucus, 310
 frugilegus pastinator, 106
 larteti, 175
 levaillantii mandschuricus, 106
 monedula, 106
Coturnix coturnix, 104
Cowbird, 29, 33, 34, 149, 208
 Common, 359
 Bronzed, ~~344~~
 Red-eyed, ~~167~~
 Shiny, ~~295~~
Crane, 104
 Little Brown, 205-206
 Sandhill, 52
 White-naped, 104
Crax, 299
 Crittenden, Don N., and Killpack, Merlin L., starlings as winter residents in the Uinta Basin, Utah, 338
Crocethia alba, 359
Crossbill, Red, 200-203
Crotophaga sulcirostris, 350
Crow, American, 318
 Carion, 101, 106
 Jungle, 101, 106
Crow-tit, 107
Crypturellus cinnamomeus, 349

- Cuckoo, Eurasian, 105
 Striped, 169
 Cuculus, 114
 canorus, 105
 canorus bakeri, 114
 saturatus horsfieldi, 114
 Curl, A. Laurence, chestnut-backed chickadee in the Sierra Nevada, 115
 Curlew, Hudsonian, 62
 Cyanerpes cyaneus, 353, 355
 Cyanocitta cristata, 246
 stelleri, 90, 128, 174, 352, 364
 Cyanocompsa parellina, 354
 Cyanolyca cucullata, 352
 Cyclarhis gujanensis, 353
 Cyclorhynchus psittacula, 52, 53
 Cygnus cygnus, 103
 Cynanthus latirostris, 164, 351
 Cypseloides niger borealis, 310
 Cyrtonyx montezumae, 209
 montezumae mearnsi, 298
 tedfordi, 298-299

D

- Dactylortyx thoracicus, 350
 Davis, David E., Leconte sparrow in western Montana, 115
 Davis, John, a second November nest of the California thrasher, 116
 Davis, L. Irby, winter bird census at Xilitla, San Luis Potosí, México, 345
 Dawson, William R., and Bartholomew, George A., Jr., body temperatures in nestling western gulls, 58
 Deignan, H. G., the earliest name of the Korean tree sparrow, 171
 Delacour, Jean, the pheasants of the world, a review by A. H. Miller, 70
 Dendragapus fuliginosus, 111
 Dendrocopos, 274, 275
 albolarvatus, 255, 275
 borealis, 275
 major, 106, 244
 nuttallii, 245, 275
 pubescens, 275
 scalaris, 275, 320, 351
 scalaris graysoni, 69
 villosus, 249, 351
 Dendroica aestiva, 62-63, 353, 355
 auduboni, 128, 166, 353
 coronata, 353
 dominica, 353
 fusca, 353
 graciae, 311, 353
 magnolia, 353
 nigrescens, 166, 353, 355
 occidentalis, 320, 353
 townsendi, 63, 353
 virens, 353
 Dendronanthus indicus, 109

- Dendrortyx, 299
 barbatus, 350
 Dickcissel, 320
 Dives dives, 354
 Dixon, Keith L., scrub jay in Bexar County, Texas, 208
 Dolichonyx oryzivorus, 34
 Dollahite, Ned, and Anderson, Morris P., Jr., a new nesting record of the cinnamon teal in Humboldt County, California, 320
 Dotterel, 53
 Dove, Mourning, 355, 358
 Rock, 101, 105
 Rufous Turtle, 101, 105
 White-winged, 164, 355, 358, 365
 Dowitcher, 111, 112
 Dryocopus lineatus, 351
 Duck, American Golden-eye, 172
 Black, 65
 Greater Scaup, 52, 101, 103, 204
 Harlequin, 52, 172
 Lesser Scaup, 172
 Muscovy, 113
 Redhead, 172
 Ruddy, 113, 164, 172, 298
 Wood, 65-66, 204, 348
 Dulus dominicus, 197
 Dumetella carolinensis, 204, 352

E

- Eagle, Golden, 318, 319, 364
 White-tailed Sea, 101, 104
 Eberhardt, Robert L., northern phalaropes and Xantus murrelet associated with fishes, 314
 Egret, American, 317
 Cattle, 103
 Great White, 101, 103
 Snowy, 164, 317
 Egretta thula, 317
 Eider, Pacific, 52
 Elanoides forficatus, 113
 Emberiza calandra, 30
 cioides, 110
 cioides castaneiceps, 110
 cioides weigoldi, 110
 elegans elegans, 110
 rustica rustica, 110
 rutila, 110
 tristrami, 110
 Emlen, John T., Jr., social behavior in nesting cliff swallows, 177
 Empidonax, 352, 355
 difficilis, 128, 352, 355
 griseus, 165
 hammondi, 165
 wrightii, 320
 Endomychura hypoleuca, 314
 Eophona migratoria, 109
 Eremophila alpestris, 61, 165
 alpestris adusta, 165
 alpestris leucolaema, 165

- alpestris occidentalis, 165
 Ereunetes mauri, 317
 Ergaticus ruber ruber, 311
 Erithacus rubecula, 140
 Erolia bairdii, 53, 358
 melanotos, 53
 ptilocnemis, 52
 Eudromias morinellus, 53
 Eugenes fulgens, 351
 Euphagus carolinus, 172
 cyanocephalus, 3-47, 128, 140-151, 354
 Euplectes hordeacea, 28, 40
 Eupoda montana, 204
 Eurystomus orientalis, 106
 Euthlypis lachrymosa, 353
 Evenden, Fred G., Jr., additional bird records for Nevada, 174; winter status of swallows in California, 360

F

- Falco albigularis, 207, 349
 columbarius, 113, 349
 femoralis, 310
 mexicanus, 89
 peregrinus, 174, 317, 349
 rusticolus, 323
 sparverius, 207, 264, 349
 tinnunculus, 104
 tinnunculus interstinctus, 104
 Falcon, Aplomado, 310
 Bat, 207
 Peregrine, 174
 Prairie, 89
 Farner, D. S., the birds of Crater Lake National Park, a review by A. H. Miller, 365
 Fennell, Chester M., some observations on the birds of southern Korea, 101
 Finch, Black Rosy, 61-62
 Gray-crowned Rosy, 172
 House, 29, 128-131, 173, 312, 355
 Purple, 128, 320
 Rosy, 34
 Weaver, 197
 Fisher, Harvey I., the validity of the fossil crane Grus nannodes, 205
 Flicker, 254
 Gilded, 91
 Red-shafted, 91, 174, 245, 264, 341
 Yellow-shafted, 243
 Florida caerulea, 349
 Flycatcher, Alder, 355
 Arizona Crested, 170
 Ash-throated, 170
 Beardless, 165
 Gray, 165
 Gray-spotted, 108
 Hammond, 165
 Least, 355
 Japanese Blue, 108
 Japanese Paradise, 101, 108
 Pied, 39
 Vermilion, 165, 318
 Western, 128, 172, 355
 Wright, 320
 Yellow-bellied, 355
 Fox, Wade, behavioral and evolutionary significance of the abnormal growth of beaks of birds, 160
 Fratercula corniculata, 52, 53
 Fregata magnificens, 113
 Fringilla montifringilla, 110
 Frohling, Robert C., pomarine jaeger and Bonaparte gull in the Hawaiian Islands, 316
 Fulica americana, 350
 deardini, 175
 Fulicaetornis, 175

G

- Gabrielson, Ira N., notes on Bonasa and Numenius in Alaska, 359
 Gallicrex cinerea, 104
 Gallinula chloropus, 350
 Gallinuloides prentici, 175
 Gallus longaeus, 175
 Garganey, 68
 Garrulus glandarius brandtii, 107
 Gavia, 80, 81, 86, 87
 adamsii, 102
 arctica, 52
 Geococcyx californianus, 350
 Geothlypis nelsoni, 353
 trichas, 353
 trichas arizela, 167
 trichas chryseola, 311
 trichas occidentalis, 167
 trichas riparia, 311
 Gerandia, 175
 Geranospiza nigra, 348, 349
 Gilliard, E. Thomas, and Mayr, E., altitudinal hybridization in New Guinea honeyeaters, 325
 Glaucidium, 92
 brasilianum, 350
 gnoma, 91-92
 phalaenoides, 89
 Godwit, Hudsonian, 290-291
 Goldfinch, American, 167, 355
 Arkansas, 312
 Green-backed, 128
 Golden-eye, Common, 101, 103
 Goose, Bean, 103
 Blue, 320
 Emperor, 52
 Ross, 320
 Goshawk, 89
 Chinese, 101, 103
 Grackle, Boat-tailed, 33
 Bronzed, 34, 35
 Graculus littoralis, 175
 Grassquit, Blue-black, 312, 355
 Grayson, Andrew Jackson, painting of ladder-backed woodpecker, opposite 3; red-front-

- ed parrot, opposite 73; Massena quail, opposite 177; white-winged dove, opposite 325
- Grebe, Eared, 315
- Horned, 66-67, 172, 314-315
- Red-necked, 172
- Greene, Earle R., Sabine gull at Mono Lake, California, 115
- Greenfinch, Oriental, 109
- Greenhalgh, Clifton M., food habits of the California gull in Utah, 302
- Gregory, Joseph T., the jaws of the cretaceous toothed birds, *Ichthyornis* and *Hesperornis*, 73
- Grieb, Jack R., and Ryder, Ronald A., waterfowl records for north-central Colorado, 65
- Griffin, Homer, porcupine quill fatal to jay, 364
- Grosbeak, Black-headed, 64, 128, 160-162
- Blue, 167, 312
- Pine, 363
- Grouse, Franklin, 169
- Ruffed, 172, 359
- Sooty, 111
- Grus, 104, 205
- canadensis*, 52, 205-206
- canadensis canadensis*, 205-206
- nannodes*, 205-206
- problematicus*, 175
- vipio*, 104
- Guan, Crested, 113
- Guillemot, Pigeon, 52, 53
- Guiraca caerulea, 354
- caerulea deltarhyncha*, 312
- caerulea eurhyncha*, 312
- caerulea salicaria*, 167
- Gull, Black-tailed, 101, 105
- Bonaparte, 316
- California, 133-135, 175, 206-207, 299, 302-308
- Eurasian Black-headed, 101, 105
- Franklin, 310
- Glaucous, 53
- Heermann, 114, 175
- Herring, 101, 105
- Sabine, 115
- Western, 58-59
- Gullion, Gordon W., the Hudsonian curlew in Nevada, 62; recent bird records from southern Nevada, 204
- Gyr Falcon, 323
- H**
- Habia gutturalis, 354
- rubica*, 354
- Halcyon pileata, 105
- Haliaeetus albicilla, 104
- Hamilton, G. Dale, English sparrow feeding young eastern kindbirds, 316
- Hargeria, 74
- Harpagus bidentatus, 137-139
- bidentatus fasciatus*, 137-139
- Harrison, Ed, and Roberts, Frances, photograph of Sooty Grouse, 111
- Haverschmidt, Fr., nesting behavior of the southern house wren in Surinam, 292
- Hawfinch, Black-headed, 109
- Hawk, American Rough-legged, 172-173
- Black Crane, 348
- Cooper, 89
- Duck, 317
- Eurasian Sparrow, 101, 103
- Ferruginous Rough-legged, 172
- Marsh, 61
- Pigeon, 113
- Red-shouldered, 89
- Rough-legged, 52, 65
- Sharp-shinned, 283-289
- Sparrow, 207, 264, 347
- Swainson, 113, 173, 358
- Zone-tailed, 90, 113
- Heliornis fulica*, 350
- Hemichelidon griseisticta*, 108
- Hemiura*, 322
- Henicorhina leucophrys*, 352
- leucosticta*, 352
- Heron, Black-crowned Night, 113
- Gray, 101, 102
- Great Blue, 318
- Green, 164
- Streaked, 101, 102
- Tricolored, 113
- Herpetotheres cachinnans, 349
- Hesperornis, 73-88
- crassipes*, 74, 83
- gracilis*, 74, 80, 81
- regalis*, 74, 80-83
- Hirundo daurica, 106
- erythrogaster*, 54
- rustica*, 106, 165, 183
- Histrionicus histrionicus, 52
- Hock, Raymond J., golden eagle versus red fox: predation or play?, 318
- Hodges, James, two nestling robins with abnormal beaks, 359
- Honeycreeper, Blue, 355
- Howell, Thomas R., natural history and differentiation in the yellow-bellied sapsucker, 237
- Howell, Thomas R., and Bartholomew, George A., Jr., experiments on the mating behavior of the Brewer blackbird, 140
- Hummingbird, Allen, 268
- Anna, 164
- Broad-billed, 164
- Calliope, 358
- Rufous, 164
- Hydranassa tricolor, 113, 349
- Hylocharis leucotis, 351
- Hylocichla guttata, 149, 151, 352
- guttata guttata*, 166
- guttata nanus*, 166
- guttata oromela*, 166
- guttata slevini*, 166

- mustelina, 352
- ustulata, 166
- ustulata oedica, 166
- ustulata ustulata, 166
- Hypomorphnus urubitinga, 349

I

- Ibis, Wood, 115
- Icteria virens, 64, 353
 - virens auricollis, 311
 - virens tropicalis, 167, 311
- Icterus bullockii, 354, 355
 - cucullatus, 354, 358
 - galbula, 34, 354
 - graduacauda, 354
 - gularis, 354
 - parisorum, 311, 354, 355
 - spurius, 354
- Ichthyornis anceps, 74, 78
 - dispar, 73-88
 - victor, 74
- Iridoprocne albilinea, 352
 - bicolor, 183
- Ixobrychus exilis, 113, 317

J

- Jabiru mycteria, 113
- Jabiru, 113
- Jacana spinosa, 350
- Jackdaw, 106
- Jaeger, Parasitic, 53, 172
 - Pomarine, 53, 316
- Jay, Beechey, 90
 - Blue, 246
 - Brown, 348
 - Eastern Blue, 172
 - Eurasian, 101, 107
 - Magpie, 90
 - Mexican, 90
 - Scrub, 90, 128, 160-162, 208
 - Steller, 90, 128, 174, 364
- Jobin, Leo, some bird records from the Cariboo District, British Columbia, 171; the European starling in central British Columbia, 318; the Harlan hawk in the Cariboo District, British Columbia, 362
- Johnson, Ned K., additional records of the rough-legged hawk in Nevada, 65
- Johnson, Ned K., and Richardson, Frank, supplementary bird records for Nevada, 358
- Johnston, David W., and Norris, Robert A., winter record of the warbling vireo in California, 116
- Jollie, Malcolm, comments on the check-list of the birds of Idaho, 172
- Junco caniceps, 167
 - caniceps caniceps, 168
 - hyemalis, 54
 - hyemalis hyemalis, 167
 - oreganus, 123-136, 167
 - oreganus mearnsi, 167

- oreganus montanus, 167, 168
- phaeonotus, 354
- Junco, Gray-headed, 167
- Oregon, 123-136, 167
- Slate-colored, 54, 167

K

- Kestrel, Eurasian, 104
- Killdeer, 207
- Killpack, Merlin L., and Crittenden, Don N., starlings as winter residents in the Uinta Basin, Utah, 338
- Kingbird, Cassin, 63, 117, 165
 - Eastern, 245, 316
 - Tropical, 117
 - Western, 63, 165
- Kingfisher, Black-capped, 101, 105
 - Eurasian, 101, 105
 - Green, 164
- Kinglet, Golden-crowned, 358
 - Ruby-crowned, 172
- Kite, Black, 101, 103
 - Double-toothed, 137-139
 - Swallow-tailed, 113
- Kittiwake, 53
 - Pacific, 52

L

- Lagopus lagopus, 319
- Lampornis amethystinus, 351
- Lanius bucephalus, 109
 - cristatus, 109
- Lark, Horned, 61, 165
- Larus argentatus, 105, 350
 - californicus, 133-135, 206-207, 299, 302-308
 - crassirostris, 105
 - delawarensis, 350
 - heermanni, 114
 - hyperboreus, 53
 - occidentalis wymani, 58-59
 - philadelphia, 316
 - pipixcan, 310
 - ridibundus, 105, 122
 - schistisagus, 52
- Lasky, William R., occurrence of the skua in southern California, 175; a case of avian tuberculosis in an immature avocet, 316
- Laughlin, Robert M., a nesting of the double-toothed kite in Panamá, 137
- Leaf-tosser, Guatemalan, 97, 98
- Lepidocolaptes affinis, 351
- Leptotila verreauxi, 350
- Leucophoyx thula, 164, 349
- Leucosticte atrata, 61-62
 - tephrocotis, 34
- Ligon, J. Stokley, the vanishing masked bobwhite, 48
- Limnodromus griseus, 111
- Limosa haemastica, 290-291
- Lincoln, Frederick C., an early specimen of the eastern fox sparrow from Colorado, 319

- Linnet, 173
 California, 61
 Lobipes lobatus, 314
 Loetscher, Frederick W., Jr., striped cuckoo fed
 by rufous-and-white wren in Panamá, 169;
 another unrecorded specimen of *Neochloe*
 brevipennis, 204
 Longspur, Lapland, 54
 McCown, 172
 Loon, Arctic, 52
 Common, 172
 Yellow-billed, 101, 102
 Lophodytes cucullatus, 66, 317
 Lophortyx, 298
 gambelii, 164
 gambelii fulvipectus, 164
 gambelii pembedtoni, 164
 Loxia, 359
 curvirostra, 354
 curvirostra bendirei, 200-203
 curvirostra benti, 200-203
 curvirostra grinnelli, 200
 curvirostra sitkensis, 200-203
 curvirostra stricklandi, 200-203
 Lunda cirrhata, 52, 54
 Lunk, William A., a hooded merganser from the
 late Pleistocene of Oklahoma, 316
- ### M
- Macaw, Green, 113
 Magpie, Black-billed, 101, 102, 106
 Yellow-billed, 90
 Mallard, 101, 103, 298, 300, 358
 Man-o'-war Bird, Magnificent, 113
 Mareca americana, 298, 349
 penelope, 358
 Marshall, Davis B., and Alcorn, J. R., additional
 Nevada bird records, 320
 Martin, Purple, 181, 189
 Mayr, E., and Gilliard, E. Thomas, altitudinal
 hybridization in New Guinea honeyeaters,
 325
 Mead, Gertrude H., robin breeding in San Diego,
 California, 64
 Meadowlark, Eastern, 167
 Western, 128, 355
 Megaceryle alcyon, 351
 torquata, 351
 Megapaloelodus, 296-298
 connectens, 296-298
 Megarynchus pitangua, 352
 Melanerpes erythrocephalus, 244, 318
 formicivora, 245, 351
 Melanitta fusca, 116
 Melanotis caerulescens, 352
 Melidectes belfordi, 325-337
 belfordi belfordi, 325-337
 belfordi brassi, 325-337
 belfordi griseirostris, 325-337
 belfordi joiceri, 325-337
 belfordi rufocrissalis, 325-337
 belfordi kinneari, 325-337
 belfordi stresemanni, 325-337
 belfordi foersteri, 325-337
 leucostephes, 325-337
 Melirrhophetes, 325
 Melospiza georgiana, 168
 lincolni, 61, 354
 melodia, 41, 123, 128, 168, 268
 melodia fallax, 168
 melodia fisherella, 168
 melodia montana, 168
 melodia saltonis, 168
 Mengel, Robert M., and Mengel, Jane S.,
 Sprague pipit and black rosy finch in
 north-central Wyoming in summer, 61
 Merganser, Hooded, 66, 317
 Red-breasted, 52, 101, 103, 164, 172
 Mergus serrator, 52, 103, 164
 Merops, 197
 Mewaldt, L. R., the incubation patch of the
 Clark nutcracker, 361
 Micrastur ruficollis, 349
 semitorquatus, 349
 Micropalama himantopus, 111-112, 171
 Microscelis amaurotis, 107
 Miller, Alden H., review of "Mexican Birds," by
 G. M. Sutton, 69; review of "The Pheas-
 ants of the World," by J. Delacour, 70;
 the generic name of the white-bellied wren
 of Mexico, 322; review of "The Birds of
 Crater Lake National Park," by Donald
 S. Farner, 365
 Miller, Loye, sun-bathing linnets, 61; auditory
 recognition of predators, 89; song in
 hand-reared birds, 173; the avifauna of
 the Barstow Miocene of California, 296
 Milvus migrans, 103
 migrans lineatus, 103
 Mimus polyglottos, 352
 Miocorax, 175
 Miocorvus, 175
 Miofulica, 175
 Miogallus, 175
 Miophasianus, 175
 Miorallus, 175
 Mitrephanes phaeoercus, 352
 Mniotilta varia, 353, 358
 Molothrus ater, 29, 149, 151, 208, 353, 359
 ater artemisiae, 359
 ater obscurus, 359
 bonariensis, 295
 Momotus momota, 351
 Montgomery, Vester, Carolina wren and catbird
 in southern New Mexico, 204
 Monticola solitarius, 108
 Moreno-mercetia, 175
 Mossman, Archie S., and Childs, Henry E., Jr.,
 notes on the sexual behavior of two fal-
 cons, 207
 Motacilla alba, 109
 cinerea, 109

- flava, 54
 Murie, Olaus J., additional records of *Cuculus*
 in North America, 114
 Murre, Northern, 52, 53
 Common, 52, 53
 Murrelet, Ancient, 172
 Xantus, 314
 Muscicapa hypoleuca, 39
 Muscicapula cyanomelana, 108
 Myadestes obscurus, 352
 unicolor, 352
 Mycteria americana, 115
 Myiarchus cinerascens, 170
 tyrannulus, 352
 tyrannulus magister, 170
 tuberculifer, 352
 Myioborus miniatus, 353
 miniatus miniatus, 311
 Myiozetetes similis, 352
 Myna, Red-cheeked, 109
 Myopsittacus monachus, 197

N

- Nannorchilus leucogaster, 322
 Neochloe brevipennis browni, 204
 Nice, Margaret M., song in hand-raised meadow-
 larks, 362
 Nighthawk, 113, 310
 Common, 318
 Nisus pacificus, 288
 Norris, Robert A., and Johnston, David W., win-
 ter record of the warbling vireo in Cali-
 fornia, 116
 Nucifraga columbiana, 128
 Numenius hudsonicus, 52, 62
 phaeopus variegatus, 359
 Nutcracker, Clark, 128
 Nuthatch, Eurasian, 107
 Pygmy, 128, 310
 White-breasted, 256
 Nycticorax nycticorax, 113
 Nyctidromus albigollis, 350

O

- Old-squaw, 52, 319, 321
 Oligocorax, 175
 Oporornis tolmiei, 166, 353
 tolmiei intermedia, 167
 Oreopeleia albifacies, 350
 montana, 350
 Oreortyx, 299
 Oriole, Baltimore, 34, 35, 173
 Black-naped, 101, 106
 Bullock, 355
 Hooded, 358
 Scott, 311, 355
 Oriolus chinensis, 106
 Orr, Robert T., photograph of Franklin grouse,
 169

- Orr, Robert T., and Webster, J. Dan, notes on
 Mexican birds from the states of Durango
 and Zacatecas, 309
 Ortalis pollicaris, 299
 vetula, 350
 Otis tarda dybowskii, 104
 Otus, 92
 asio, 91, 348, 350
 bakkamoena ussuriensis, 105
 flammeolus, 90
 Oropendola, 39
 Wagler, 31, 34
 Ovenbird, 94
 Owl, Barn, 310
 Barred, 171
 Burrowing, 348
 Common Screech, 348
 Flammulated, 90
 Guatemalan Screech, 348
 Horned, 89-91
 Long-eared, 105
 Oriental Screech, 105
 Pigmy, 91-92
 Screech, 91
 Short-eared, 54, 317, 358
 Spotted, 90
 Oxyura jamaicensis, 113, 164, 298

P

- Palaeoaramides, 175
 Palaeociconia cristata, 175
 Paleopicus, 175
 Palaelodus, 296-298
 Pandion haliaetus, 349
 Panyptila cayennensis, 114
 sanctihieronymi, 113
 Paracorax, 175
 Paragrus, 175
 Parakeet, Green, 197
 Paraortygometra, 175
 Pararallus, 175
 Parascaniornis, 174
 stensiöi, 174
 Paratrogon, 175
 Parkes, Kenneth C., the races of the bald starling
 of the Philippines, 55; geographic varia-
 tion in the horned grebe, 314
 Parrot, Red-fronted, 118
 White-crowned, 348
 Partridge, Chukar, 321
 Hungarian, 321
 Parula pitiayumi, 353
 Parus atricapillus, 174
 gambeli, 128, 256
 inornatus, 128
 major, 107
 rufescens, 115
 varius, 107
 wollweberi, 165, 352
 wollweberi phillipsi, 165

- Passer*, 335
 domesticus, 128, 316, 353
 montanus dybowskii, 109, 171
 montanus kaibatoi, 171
 montanus montanus, 171
 montanus orientalis, 171
 montanus partim, 171
 montanus saturatus, 171
Passerculus sandwichensis, 54
 sandwichensis nevadensis, 320
Passerella iliaca, 128
 iliaca iliaca, 319
Passerherbulus caudatus, 115, 116
Passerina amoena, 63, 167
 ciris, 354
 cyanea, 63, 354
 Pearse, Theed, notes on the occurrence and behavior of the stilt sandpiper on Vancouver Island, 111
Pelidna alpina, 317
 Pemberton, J. R., Vaux swift on Santa Rosa Island, California, 62; inland record of the white-winged scoter from California, 116
Penelope, 299
 purpurascens, 113
 Pepper-shrike, Mexican, 348
Perdix perdix, 321
Petrochelidon, 198
 pyrrhonota, 128, 177-199
Peucedramus olivaceus, 353
Phalacrocorax, 82
 auritus, 163
 destefanii, 175
 femoralis, 175
 olivaceus, 349
 pelagicus, 52
 vetustus, 175
Phalaenoptilus nuttallii, 152-159, 350
Phalarope, 172
 Northern, 172, 314
 Wilson, 172
Phasianus altus, 175
 colchicus, 104
 colchicus karpowi, 104
 roberti, 175
Pheasant, Ring-necked, 101, 104
Pheucticus ludovicianus, 354
 melanocephalus, 64, 128, 160-162, 354
Philacte canagica, 52
Philetaerus, 197
 Phillips, Allan R., and Amadon, Dean, some birds of northwestern Sonora, Mexico, 163
Phoebe, Black, 128, 348
 Say, 310
Phoenicopterus, 296-298
 antiquorum, 297
Phoenicurus aureus aureus, 108
 ochrurus, 39
Phloeocastes guatemalensis, 351
 melanoleucos, 138
Phylloscopus coronatus, 108
Piaya cayana, 350
Pica pica japonica, 106
 nuttallii, 90
Picoides, 274, 275
 arcticus, 172
 tridactylus fasciatus, 172
Piculus aeruginosus, 351
Picus archiaci, 175
Pigeon, Band-tailed, 164, 172
 White King, 133
 Scaled, 113
Pinicola enucleator, 363
Pintail, 319, 347
Pionus senilis, 350
Pipilo, 335
 fuscus, 128, 312, 354
 fuscus potosinus, 312
 fuscus perpallidus, 312
 maculatus, 128, 167, 354
 maculatus montanus, 167
Pipit, 54
 American, 61
 Sprague, 61, 166
 Water, 109
Piranga bidentata, 354
 flava, 354
 leucoptera, 354
 ludoviciana, 167, 354
 rubra, 318, 354
Pitangus sulphuratus, 352
Platycarpus, 73-88
Platyparis aglaiae, 351
Plectrophenax nivalis, 54, 62
Plegadis mexicana, 349
Pliogrus, 175
 germanicus, 175
Plover, Black-bellied, 63
 Golden, 170
 Mountain, 172, 204
 Snowy, 174, 321
 Upland, 172
Pluvialis dominica, 170
 dominica dominica, 171
 dominica fulva, 171
Podiceps, 121
 cristatus, 10
Podilymbus podiceps, 349
Poliophtila caerulea, 352
Polyborus cheriway, 164, 310
Poecetes gramineus, 61
Poor-will, 152-159
Porphyrola martinica, 350
Proardea, 175
Probalearica, 175
Progne subis, 189
Protogrus, 175
Prunella collaris, 109
 montanella, 109
Psaltiriparus minimus, 128
Psilorhinus morio, 352

Psittacus verreauxi, 175
Ptarmigan, Willow, 319
Pteroglossus torquatus, 139
Ptilogonys cinereus, 353
Puffin, Horned, 52, 53
 Tufted, 52, 54
Puffinus leucomelas, 102
 Pulich, Warren M., the Arizona crested flycatcher in Nevada, 169
 Pursell, William M., and Williams, Laidlaw, aberrant Heermann gulls at Pacific Grove, California, 114
Pyrocephalus rubinus, 165, 318, 352
Pyrrhuloxia, 167
 sinuata, 167

Q

Quail, California, 153
 Gambel, 164
 Massena, 209, 298
 Mearns, 209, 298
 Migratory, 102, 104
 Scaled, 310
Quercyrallus, 175
Quiscalus aeneus, 34

R

Rallircex, 174
 kolozsvarensis, 174
Rallus arenarius, 175
 christyi, 175
 dispar, 175
 major, 175
 porzanoides, 175
Ramphastos brevicarinatus, 138
 sulphuratus, 351
 swainsonii, 138, 139
Raven, 54, 172
 Common, 165
 White-necked, 310
Recurvirostra americana, 316
Redhead, 317
Redpoll, 54, 245
Redstart, Black, 39
 Painted, 115
 Red-bellied, 311
 Slaty-crowned, 101, 108
Red-wing, Tricolored, 38, 39
Regulus calendula, 352
 satrapa, 358
 Rett, Egmont Z., the robin nesting at Santa Barbara, California, 64; the painted redstart at Santa Barbara, California, 115
Rhodotraupis celaeno, 354
 Richardson, Frank, a second record of the indigo bunting in Nevada, 63
 Richardson, Frank, and Johnson, Ned K., supplementary bird records for Nevada, 358
Richmondia cardinalis, 354
Ridgwayia pinicola, 311
Riparia riparia, 183, 356, 357

ijimae, 356, 357
 maximiliani, 356, 357
 riparia riparia, 356, 357
 Ripley, S. Dillon, additional comments on Philippine birds and a new record from the archipelago, 362
Rissa tridactyla, 52, 53
 Roberts, Frances, and Harrison, Ed, photograph of sooty grouse, 111
Robin, 64, 128, 140, 359
 Gray, 348
 Jalapa, 348
Robin-Flycatcher, Japanese, 108
Rock-Thrush, Blue, 108
Roller, Oriental Broad-billed, 101, 106
Rollulus, 299
Rook, 106
 Ryder, Ronald A., bird notes from southern Colorado, 317
 Ryder, Ronald A., and Grieb, Jack R., waterfowl records for north-central Colorado, 65

S

Salpinctes obsoletus, 310
 obsoletus latifasciatus, 311
 obsoletus notius, 311
 obsoletus obsoletus, 311
Saltator atriceps, 354
 coerulescens, 354
Sanderling, 359
Sandpiper, Baird, 53, 358
 Common, 104
 Pectoral, 53
 Red-backed, 317, 359
 Spotted, 164
 Stilt, 111, 112, 171
 Western, 317, 359
Sapsucker, Red-breasted, 160, 172, 249
 Williamson, 174, 246
 Yellow-bellied, 237-282
Sarcops calvus, 55-57
 calvus calvus, 55-57
 calvus lowii, 56, 57
 calvus melanotus, 55-57
 calvus minorensis, 55-57
 lowii, 55-57
Sayornis nigricans, 128, 352
 phoebe, 352
 saya saya, 310
Scardafella inca, 350
Schoeniophylax phryganophila, 169
Sclerurus guatemalensis, 97
Scoter, White-winged, 116
Seiurus aurocapillus, 94, 353
 motacilla, 353
 noveboracensis, 318, 353
Selasphorus rufus, 164
 sasin, 268
Setophaga picta, 115, 353
Shearwater, Streaked, 102
Sheldrake, Ruddy, 103

- Shoveller, 67, 68, 113
 Common, 103
 Shrike, Bull-headed, 109
 Red-tailed, 109
 Sialia sialis, 352
 Sibley, Charles G., wren-tit attempts copulation
 with begging fledgling, 117; egg laid by
 killdeer frightened from nest, 207
 Siphia mugimaki, 108
 Siskin, Eurasian, 110
 Pine, 167
 Sitta carolinensis, 256
 europaea, 107
 pygmaea, 128
 pygmaea chihuahuanae, 310
 Sittasomus griseicapillus, 351
 Skua, 175
 Skutch, Alexander G., life history of the chest-
 nut-tailed automolus, 93
 Skylark, 102, 106
 Snipe, 105
 Somateria, 319
 v-nigra, 52
 Sparrow, Baird, 167
 Black-throated, 167
 Black-chinned, 168, 312
 Chipping, 128
 English, 61, 128, 316
 Eurasian Tree, 109
 Fox, 128, 319
 Golden-crowned, 168
 Grasshopper, 172
 Leconte, 115, 116
 Lincoln, 61
 Rufous-capped, 312
 Savannah, 54, 320
 Song, 37, 41, 123, 125, 128, 168, 268
 Swamp, 168
 Tree, 172
 Vesper, 61
 White-crowned, 40, 41, 123-136
 White-throated, 245
 Spatula, 68
 clypeata, 67, 68, 103, 113, 349
 Speotyto cunicularia, 348, 350
 Sphyrapicus thyroideus, 174, 246, 275
 thyroideus nataliae, 238
 thyroideus thyroideus, 238
 varius, 160, 237-282, 351
 varius atrothorax, 238
 varius daggetti, 237-282
 varius nuchalis, 237-282
 varius ruber, 172, 237-282
 varius varius, 237-282
 Spinus notatus, 354
 pinus, 167
 psaltria, 128, 354
 psaltria psaltria, 312
 tristis, 167, 354, 355
 Spiza americana, 320
 Spizella atrogularis, 168
 atrogularis atrogularis, 312
 passerina, 128, 354
 Spoonbill, Roseate, 208
 Sporophila aurita, 137
 torqueola, 354
 Squatarola squatarola, 63
 Starling, 173-174, 321, 338-344, 358
 Bald, 55-57
 European, 318
 Steel, Paul E., inland record of sanderling, 359
 Stelgidopteryx ruficollis, 183, 352
 Stellula calliope, 358
 Stercorarius parasiticus, 53
 pomarinus, 53, 316
 Sterna hirundo, 182
 Stoner, Emerson A., homing instinct in cowbird,
 208
 Storer, Robert W., variation in the resident
 sharp-shinned hawks of Mexico, 283
 Streptopelia orientalis orientalis, 105
 Streptoprocne zonaris, 348, 351
 Strix, 92
 varia varia, 171
 Sturnella magna, 354
 magna lilianae, 167
 neglecta, 128
 Sturnia philippensis, 109
 Sturnus vulgaris, 173, 174, 318, 321, 338-344, 358
 Suthora webbiana, 107
 Sutton, George Miksch, Mexican birds, a review
 by A. H. Miller, 69
 Swallow, Bank, 172, 183, 190, 197, 356, 357
 Barn, 54, 165, 183, 198
 Cliff, 128, 177-199
 House, 106
 Red-rumped, 101, 106
 Rough-winged, 172, 183
 Tree, 183
 Violet-green, 64, 165, 183
 Swan, Whooping, 101, 103
 Swift, Black, 310
 Chimney, 185
 Collared, 348
 Swallow-tailed, 113
 Vaux, 62
 White-rumped, 101, 105
 Synallaxis, 97, 98
 albescens, 169
 erythrothorax, 93
 spixi, 169

T

- Taber, Wendell, audible flight of great horned
 owls, 361
 Tachycineta thalassina, 64, 165, 183
 Tanager, Summer, 318
 Western, 64, 167
 Tanagra affinis, 354
 lauta, 354
 musica, 354
 Tangavius aeneus, 167, 311, 353

- Tapera naevia*, 169
 Tapia, Guillermo José, black-crowned night heron breeds in heart of Mexico City, 360
 Teal, Blue-winged, 67, 68
 Cinnamon, 320
 Green-winged, 52, 298, 300
Telmatodytes palustris, 39, 310
 palustris plesius, 320
 palustris pulverius, 320
 Tern, Black, 164
 Common, 182
 Least, 172
 Terpsiphone, 335
 atrocaudata, 108
Thamnophilus doliastris, 351
 Thrasher, Bendire, 165
 Brown, 108
 California, 116, 160-162
 Crissal, 165
 Curve-billed, 165, 311
Thraupis abbas, 354
 episcopus, 354
Thripadectes rufobrunneus, 99
 Thrush, Aztec, 311
 Gray-backed, 108
 Hermit, 149, 166
 Mistle, 89
 Nightingale, 311
 Oriental Dusky, 101, 108
 Siberian, 107
 Swainson, 166
Thryomanes bewickii, 352
 bewickii eremophilus, 165
Thryothorus ludovicianus, 204
 modestus, 169
 rufalbus, 169
 rutilus, 352
Tiaris olivacea, 354
 Tit, Great, 101, 107
 Long-tailed, 107
 Varied, 107
 Titmouse, Bridled, 165
 Plain, 128
Tityra inquisitor, 351
 semifasciata, 351
 Tordoff, Harrison B., notes on plumages, molts, and age variation of the red crossbill, 200
 Toro, Miguel Alvarez del, new records of birds from Chiapas, Mexico, 112
Totanus flavipes, 111
 melanoleucus, 111
 Toucan, Swainson, 138, 139
 Towhee, Brown, 128, 312
 Green-tailed, 128, 320
 Spotted, 128, 167
Toxostoma bendirei, 165
 curvirostre celsum, 165, 311
 curvirostre maculatum, 165
 curvirostre palmeri, 165
 dorsale, 165
 dorsale coloradense, 166
 longirostre, 352
 redivivum, 116, 160-162
 rufum, 108
 Tree-hunter, Streaked, 99
Troglodytes aëdon, 59, 352
 brunneicollis, 352
 musculus, 292-295
 musculus inquietus, 293
 musculus intermedius, 293
 troglodytes, 39, 107, 292
Trogon collaris, 351
 elegans, 351
 gallicus, 175
 mexicanus, 351
 mexicanus clarus, 310
 violaceus, 351
Trogon, Coppery-tailed, 348
 Gartered, 348
 Jalapa, 348
 Mexican, 310
Turdus assimilis, 352
 grayi, 352
 hortulorum, 108
 infuscatus, 352
 merula merula, 89
 migratorius, 64, 128, 352, 359
 naumanni, 108
 naumanni eunomus, 108
 sibiricus sibiricus, 107
 viscivorus, 89
 Turnstone, Ruddy, 53
Tyrannus melancholicus, 117, 352
 melancholicus occidentalis, 117
 tyrannus, 245, 316
 verticalis, 63, 165
 vociferans, 63, 117, 165
Tyto alba, 310, 350

U

- Uria aalga*, 52, 53
 lomvia, 52, 53
Uropsila, 322
 leucogastra, 322
Urosphena squameiceps, 108

V

- Veniliornis fumigatus*, 351
 Verdin, 358
Vermivora celata, 128, 353
 celata lutescens, 166
 celata orestera, 166
 peregrina, 353
 ruficapilla, 353
 superciliosa, 353
 virginiae, 320, 353
Vireo gilvus, 116, 128, 311
 griseus, 204, 353
 huttoni, 116, 166, 353
 olivaceus, 320
 solitarius, 353
 solitarius cassinii, 166

- solitarius pinicolus, 311
- virescens, 353
- Vireo, Hutton, 116, 166, 172
 - Red-eyed, 320
 - Solitary, 166, 311
 - Warbling, 116, 128, 311
 - White-eyed, 204
- Volatinia jacarina, 312, 354, 355
- Vulture, Black, 348
 - Turkey, 164

W

- Wagtail, Forest, 101, 109
 - Gray, 101, 102, 109
 - Pied, 109
 - Yellow, 54
- Walker, Kenneth M., northward extension of range of the acorn woodpecker in Oregon, 315
- Warbler, Audubon, 128, 320
 - Black-and-white, 358
 - Black-throated Gray, 166, 355
 - Calaveras, 320
 - Crowned Willow, 108
 - Grace, 311
 - Hermit, 320
 - MacGillivray, 166, 320
 - Orange-crowned, 128, 166, 320
 - Pileolated, 62, 63, 167, 348
 - Red, 311
 - Short-tailed Bush, 101, 108
 - Stripe-crowned, 94
 - Townsend, 63
 - Virginia, 320
 - Yellow, 62, 63, 320, 355
- Water-cock, 101, 104
- Water-thrush, 172
 - Northern, 318
- Waxwing, Cedar, 166, 245
- Webster, J. Dan, and Orr, Robert T., notes on Mexican birds from the states of Durango and Zacatecas, 309
- Whimbrel, Siberian, 359
- Whip-poor-will, 113
- White-eye, Oriental, 109
- Widgeon, 358
- Willet, 172, 321
- Williams, Laidlaw, breeding behavior of the Brewer blackbird, 3; feeding behavior of golden plover in captivity, 170
- Williams, Laidlaw, and Pursell, William M., aberrant Heermann gulls at Pacific Grove, California, 114
- Wilsonia pusilla, 62, 63, 167, 353
- Wisner, Robert L., land birds at sea, 62
- Woodpecker, 315
 - Downy, 275
 - Golden-winged, 245
 - Great Pied, 106
 - Hairy, 249, 253, 254, 258
 - Ladder-backed, 69, 320
 - Lewis, 164
 - Pigmy, 101
 - Pileated, 246
 - Red-headed, 174, 318
 - White-headed, 255, 258
- Wooten, William A., roseate spoonbill in Imperial County, California, 208
- Wren, Bewick, 165
 - Carolina, 204
 - European, 292
 - Holarctic, 107
 - House, 59, 158, 255, 258
 - Long-billed Marsh, 39, 310
 - Marsh, 320
 - Rock, 310
 - Rufous-and-white, 169
 - Southern House, 292-295
 - White-bellied, 322
 - Winter, 39
- Wren-tit, 117, 128

X

- Xanthocephalus xanthocephalus, 28, 318
- Xanthoura yncas, 352
- Xema sabini, 115
- Xenopicus, 274
- Xenops minutus, 97
- Xenops, Minute, 97
- Xiphocolaptes promeropirhynchus, 351
- Xiphorhynchus flavigaster, 351

Y

- Yellow-legs, Greater, 111, 310
 - Lesser, 111, 112
- Yellow-throat, 167, 311
- Young, R. T., status of the California gull colony at Mono Lake, California, 206

Z

- Zarhynchus wagleri, 31, 34
- Zenaida asiatica, 164, 350, 355, 358
- Zenaidura macroura, 350, 355, 358
- Zonotrichia albicollis, 245
 - coronata, 168
 - gambeli, 168
 - leucophrys, 40, 41, 123-136
- Zosterops palpebrosa, 109

